



FOUNTEN
ENERGY PERFORMANCE

Certified 10K Type 2 Temperature Probes

Key Customer Benefits:

- Fouten Certified
- Project Specific
- Simplified Installation
- Real-Time Monitoring and Analytical Reporting
- Temperature Tracking
- 24/7 Email Customer Support
- Monday thru Friday, 9 – 5 PST Live Support
- 3 Year Warranty



Duct Probe
Part No. FS-PROBE-T1

The FS-Probe-T1 is a certified Fouten 10K temperature probe for detecting air temperature in a closed duct system. The flat end of the probe is able to seal against a metal surface to reduce air leakage. Common applications for this probe would be supply or return air temperature monitoring.



Multipurpose Probe
Part No. FS-PROBE-T2

The FS-Probe-T2 is a certified Fouten 10K temperature probe for detecting temperatures in a variety of environments. The probe is housed inside of a vinyl cover making it water proof and weather resistant. Common applications for this probe would be outside air or water temperature monitoring.



Pipe Probe
Part No. FS-PROBE-T3

The FS-Probe-T3 is a certified Fouten 10K temperature probe for detecting the temperature of a pipe or metal surface. The probe is housed in copper allowing for accurate temperature conductivity. Common applications for this probe would be detecting boiler or chiller pipe temperatures.

Specifications:

• FS-PROBE-T1

- Tolerance $\pm 1\%$
- Resistance 10K @ +77° F (+25° C)
- Operating Temp - -20° F to 180° F (-29° C to 82° C)
- Moisture Resistant
- Flanged Stainless Steel Housing
- 0.25" Diameter
- Wire Length - 12" (305mm)

• FS-PROBE-T3

- Tolerance $\pm 1\%$
- Resistance 10K @ +77° F (+25° C)
- Operating Temp - -20° F to 180° F (-29° C to 82° C)
- Moisture Resistance
- 0.164" Diameter
- Copper Housing
- Wire Length - 50" (1.28m)

• FS-PROBE-T2

- Tolerance $\pm 1\%$
- Resistance 10K @ +77° F (+25° C)
- Operating Temp - -20° F to 180° F (-29° C to 82° C)
- Water Resistant
- 0.23" Diameter
- Vinyl Housing
- Wire Length - 36" (914mm)